

PRODUCT Nº: 1.385

## PROQUIL-15 N NEUTRAL INDUSTRIAL DEGREASER AND CLEANER

### CHARACTERISTICS

**PROQUIL-15 N** is a degreaser-cleaner with neutral character, which has no sodium hydroxide, potassium hydroxide or free alkalis in its composition. Highly concentrated, formulated based on tensoactives, humidifying agents, dyes, solvents, etc., which remove remains from grease and other dirt using its high humidifying, emulsifying and solvent power. It penetrates into the most difficult places removing the dirt and keeping it in suspension so it is easily taken away while rinsing, leaving the surfaces completely clean.

Its neutral character allows cleaning painted surfaces and the most usual plastics in industry, with no attacks or damages.

### PROPERTIES

**PROQUIL-15 N** due to its studied formulation:

- Does not damage painted surfaces, provided the dilutions are the right ones.
- Does not damage the most usual plastics in industry.
- Reduces surface tension, making easier the penetration of the product.
- Cleans without scratching or leaving remains after final rinsing.
- Its controlled foam makes easier the control of the cleaning operations.
- Concentrated product. It's normally used diluted with water in different proportions.
- Due to its neutral character, it does not damage the treated materials.

## USES

**PROQUIL-15 N** is especially recommended, among others, in the following uses:

- Cleaning of surfaces with grease, oils, resins, nicotine remains, mould and organic dirt in general.
- It can be applied, in the right dilutions, on surfaces made of metal, cement, ceramic, plastic, rubber, terrazzo, tiled and enamelled surfaces, etc., in general on every type of surface which can be in contact with water.
- It's especially recommended for cleaning and upkeeping machinery and surfaces in order to get a good cleaning without damaging materials and painted surfaces.

## METHOD OF USE

**PROQUIL-15 N** due to its high concentration, it's normally used diluted with cold or hot water, in which is totally soluble. The water hardness does not affect the cleaning power.

**PROQUIL-15 N** can be used by spraying, normal cleaning or immersion. The cleaning action of **PROQUIL-15 N** is considerably enhanced if the following aspects are considered while cleaning:

- **Time** : Let the product act on the dirt.
- **Temperature** : The cleaning power gets improved if it's diluted in hot water.
- **Rubbing** : With sponge, brush, cloth, etc.

If necessary, rinse finally with clean water (the rinsing it's easy since it has a low foam-forming power) and let dry.

## DILUTIONS

**PROQUIL-15 N** it's normally used diluted, due to its high concentration. In general the most recommended doses will depend on the type of dirt and the temperature of the solution. As an example, we can mention the following doses:

- General cleaning in industry: 1 part **PROQUIL-15 N** and 3-8 parts water.
- Degreasing of painted surfaces: 1 part **PROQUIL-15 N** and 10-15 parts water.
- Rubber marks on floors: 1 part **PROQUIL-15 N** and 5-8 parts water.

## PRECAUTIONS

Do not swallow. Keep out of the reach of children. Avoid contact with eyes and skin. In case of contact with eyes, wash immediately with plenty of water for at least 15 minutes. In case of contact with skin, wash with plenty of water and soap.

## PACKAGING

**PROQUIL-15 N** is supplied in 25, 60 and 208 litres non-reusable, plastic containers.

## ADVANTAGES

- High cleaning power
- Concentrated product
- Can be diluted with every type of water
- Strong with dirt; does not attack surfaces

ED. 1996/1